

USHA®

Inspired by Nature
Driven by Technology



FANS RANGE
2024 Edition

USHA[®]



Style and comfort have never complemented each other like this before. Presenting a range of ceiling fans from Usha that will leave you spoilt for choices. A fan to suit every need and every mood. Choose the one that fits your imagination and fills the air with joy and comfort in abundance.

F
A
N
S
RANGE



MICROCHIP CONTROLLED 100% COPPER BLDC MOTOR

ENERGY-EFFICIENT, HIGH TORQUE AND
LOW TEMPERATURE RISE FOR LONGER MOTOR LIFE

The powerful permanent magnets combined with uniform electromagnetic field in its BLDC motor consumes 50% less power thus offering more annual savings than an AC motor fan. While the high torque produced by BLDC motor enables high air delivery, this motor keeps the circuits cool by ensuring minimal heat generation. BLDC motor ensures consistent performance of fan even at low voltage, up to 150 volts. With longer running time on power back-up & inverter, this microchip enabled motor allows the fan to rotate in both clockwise and anti-clockwise direction.



Admire



Horizon Blue



Horizon Blue



Golden Yellow



Imperial Blue



Sparkle White



Sparkle Black



HELEOUS®

- Aerodynamic ABS blades for smooth and silent air flow
- Microchip controlled 100% Copper BLDC motor
- Point anywhere RF remote
- Bi-Directional movement
- Whisper quiet operation



BI-DIRECTIONAL MOVEMENT



43 W POWER CONSUMPTION



WHISPER-QUIET OPERATION

Key Specifications:



Air Delivery
260 m³/min



Sweep Size
1.2 m (1200 mm)



High Speed
310 rpm

USHA

Admire




Black



MULTI-DIRECTIONAL
REMOTE

E-Series-Ex9 Glo™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Illuminated ring with 3 CCT light
- Point anywhere RF remote
- Automotive finish design
- Whisper quiet operation




White

Brown

Black



Key Specifications:

-  Air Delivery 240 m³/min
-  Sweep Size 1.2 m (1200 mm)
-  High Speed 300 rpm
-  2 Years Warranty



Moonlight Black



E-Series-Ex9™

- Automotive inspired design
- 3 Layered automotive paint for radiant finish and protection against dust & corrosion
- 16 Pole high torque motor
- Whisper quiet operation



Key Specifications:

- Air Delivery 240 m³/min
- Sweep Size 1.2 m (1200 mm)
- High Speed 300rpm
- 2 Years Warranty



Baker's Brown



IR REMOTE

Grandiose

- Decorative designer underlight fan with dimmable led light, 3 CCT
- 100% Copper Motor with BEE star rating for energy consumption
- Convenience of IR remote
- High air delivery
- Metallic paint finish



Hues Gold

Admiral Blue

Pearl White

Baker's Brown



Key Specifications:



Air Delivery
225 m³/min



Sweep Size
1.2 m (1200 mm)



High Speed
350 rpm



2 Years
Warranty


Admire



Antique Brass

Aldora

- Electroplated for aesthetic appeal
- 260 m³/min high air delivery
- High lift angle of blades for wider air spread
- 4 Blade fan with 1320 mm sweep size



Antique
Copper

Brushed Black
Chrome

Antique
Brass

Brushed
Nickel



Key Specifications:



Air Delivery
250 m³/min



Sweep Size
1.32 m (1320 mm)



High Speed
260 rpm



2 Years
Warranty




Antique Brass



Fontana One

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation



Gold Ivory
(With
Underlight)

Antique Brass
(With
Underlight)

Gold Ivory
(without
Underlight)

Antique Brass
(without
Underlight)



Key Specifications:

- Air Delivery 205 m³/min
- Sweep Size 1.27 m (1270 mm)
- High Speed 300 rpm
- 2 Years Warranty

Admire




Gold Ivory




Fontana Orchid

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation



Gold Ivory
(With Underlight)



Gold Ivory
(Without Underlight)



Key Specifications:



Air Delivery
205 m³/min



Sweep Size
1.28 m (1280 mm)



High Speed
300 rpm



2 Years
Warranty



Antique Brass



Fontana Maple

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation



Antique Brass
(With
Underlight)



Antique Brass
(Without
Underlight)



Key Specifications:



Air Delivery
205 m³/min



Sweep Size
1.25 m (1250 mm)



High Speed
310 rpm



2 Years
Warranty

Admire




Fontana Lotus

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light and speed controls
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 3 Speed pull cord control for speed regulation



Key Specifications:

-  Air Delivery 205 m³/min
-  Sweep Size 1.23 m (1230 mm)
-  High Speed 300 rpm
-  2 Years Warranty

Inspired by Nature Driven by Technology

Presenting Onio Series Fans

Introducing the latest designer BLDC motor fans.
 Inspired from nature and art, driven by latest technology.
 Onio fan colour series are aesthetically crafted to
 complement both modern and contemporary decor.
 There are 6 models with 3 variants in each model.
 Onio fans give life to your decor by bringing in wide
 range of exotic colours and designs. Feel the joy of air.

Unique Features:



Energy
Saving



BLDC Motor
Technology



RF Remote*



Power Memory
Function



Dust Resistant



Upsilon design is inspired from sharp & bright facets of a solitaire, seated on a geometric base.



Terra Brown



MULTI-DIRECTIONAL REMOTE

Upsilon™ Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 230 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige



AERODYNAMICALLY DESIGNED BLADES



38 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
230 m³/min




Sweep Size
1.2 m (1200 mm)



Speed
310 rpm





MULTI-DIRECTIONAL REMOTE

Upsilon™ Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for High Air Delivery of 230 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Sepia Brown



Graphite Grey



Key Specifications:



Air Delivery
230 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
310 rpm





White



MULTI-DIRECTIONAL REMOTE

Upsilon™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 230 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Slate Grey



Terra Brown



AERODYNAMICALLY DESIGNED BLADES



38 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
230 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
310 rpm



Lambda design is inspired from the swirling and swishing motion of air and water.



Terra Brown

MULTI-DIRECTIONAL REMOTE

Lambda™ Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Oyster White



AERODYNAMICALLY DESIGNED BLADES



38 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
315 rpm





Graphite Grey



MULTI-DIRECTIONAL REMOTE

Lambda™ Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Beige



Graphite Grey



Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
315 rpm





Terra Brown

MULTI-DIRECTIONAL REMOTE

Lambda™

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige



Key Specifications:



Air Delivery
240 m³/min




Sweep Size
1.2 m (1200 mm)



Speed
315 rpm



Phi design is Inspired by the rolling mountains and valleys, the symmetric designs of the curve, cascade from the hub of the fan onto the blades replicating crest and troughs. Symbolizing the fresh breeze of the mountains and their natural beauty.



Terra Brown



MULTI-DIRECTIONAL REMOTE

Phi™ Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige



AERODYNAMICALLY DESIGNED BLADES



38 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery 240 m³/min



Sweep Size 1.2 m (1200 mm)



Speed 340 rpm





Graphite Grey



MULTI-DIRECTIONAL REMOTE

Phi™ Beta

- Microchip controlled BLDC motor technology; BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Silk Grey



Graphite Grey



AERODYNAMICALLY DESIGNED BLADES



38 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
340rpm






Beige

MULTI-DIRECTIONAL REMOTE

Phi™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Point anywhere RF remote
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
340 rpm



Rho design is inspired from the water droplets and ripples created by it on a water surface.



Graphite Grey



REGULATOR

Rho™ Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Graphite Grey



Key Specifications:



Air Delivery
235 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm





Slate Grey



REGULATOR

Rho™ Beta

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Sepia Brown



Slate Grey



AERODYNAMICALLY DESIGNED BLADES



35 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
235 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm





Black Red



REGULATOR

Rho™

- Microchip controlled BLDC motor technology; BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Silk Grey



Black Red



AERODYNAMICALLY
DESIGNED BLADES



35 W POWER
CONSUMPTION



WHISPER-QUIET
OPERATION



DUST
RESISTANT

Key Specifications:



Air Delivery
235 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm



Pi design is inspired from the aerodynamics of a boomerang, adapted into the fan hub and blade style.



White



REGULATOR

Pi™ Plus

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Design inspired from the aerodynamics of a boomerang, adapted into the fan hub and blade style
- Fan with extra safety wire for added protection



White



Sepia Brown



Graphite Grey



AERODYNAMICALLY DESIGNED BLADES



40 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm





Pi™ Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm





Black Red



REGULATOR

Pi[™]

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 240 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Silk Grey



Black Red



AERODYNAMICALLY DESIGNED BLADES



40 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm



Kappa design is inspired from sand patterns in a zen garden, play of stillness and motion.



Terra Brown



REGULATOR

Kappa™ Plus

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Terra Brown



Beige



Key Specifications:



Air Delivery
235 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm





Graphite Grey



REGULATOR

Kappa™ Beta

- Microchip controlled BLDC Motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Beige



Graphite Grey



AERODYNAMICALLY DESIGNED BLADES



35 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



DUST RESISTANT

Key Specifications:



Air Delivery
235 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm





Terra Brown



REGULATOR

Kappa™

- Microchip controlled BLDC Motor technology; BEE 5 Star rated ceiling fan for low energy consumption
- Convenience of operation with any regulator
- High torque, 100% Copper motor for high air delivery of 235 m³/min
- Enabled with power memory function
- Beautifully crafted designs complementing modern and contemporary decor
- Fan with extra safety wire for added protection



White



Graphite Grey



Terra Brown



AERODYNAMICALLY
DESIGNED BLADES



35 W POWER
CONSUMPTION



WHISPER-QUIET
OPERATION



DUST
RESISTANT

Key Specifications:



Air Delivery
235 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
320 rpm



Let Life Bloom

Presenting Bloom Series Fans

Welcome the vibrant and delightful array of ceiling fans from USHA. Inspired by the flowers like Daffodil, Primrose and Magnolia, witness an array of aesthetically designed ceiling fans that usher in joy and freshness. Crafted in dual color for the modern décor, these fans will evoke the start of season's clean and healthy air. Bring home freshness and let life bloom forever.

Unique Features:



Dual Colour
Designs



Oil & Moisture
Resistant



Scratch & Stain
Resistant




Dust Resistant






Bloom Series



Sparkle Red & Black

Bloom Daffodil[®]

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



DUAL COLOUR
DESIGNS



OIL & MOISTURE
RESISTANT



SCRATCH & STAIN
RESISTANT



DUST
RESISTANT

Key Specifications:



Air Delivery
240 m³/min



Sweep Size
1.25 m (1250 mm)



Speed
380 rpm

Bloom Series



Sparkle Golden & Cherry

Bloom Primrose®

- Beautifully crafted Dual-Color designs for the modern décor with Goodbye Dust finish
- Dust resistant, Water & Oil resistant and Stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



Sparkle Golden & Brown

Sparkle Golden & Cherry

Sparkle White



DUAL COLOUR
DESIGNS



OIL & MOISTURE
RESISTANT



SCRATCH & STAIN
RESISTANT



DUST
RESISTANT

Key Specifications:



Air Delivery
225 m³/min




Sweep Size
1.25 m (1250 mm)



Speed
350 rpm



Bloom Series



Sparkle Grey & Blue

Bloom Magnolia™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



Sparkle Golden & Brown

Sparkle Grey & Blue

Sparkle White



DUAL COLOUR DESIGNS



OIL & MOISTURE RESISTANT



SCRATCH & STAIN RESISTANT



DUST RESISTANT

Key Specifications:



Air Delivery
225 m³/min




Sweep Size
1.25 m (1250 mm)



Speed
350 rpm


Bloom Series



Sparkle Black & Maroon

Bloom Bellflower™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Self protective anti-germ nano technology
- 16 Pole 100% copper motor



DUAL COLOUR
DESIGNS



OIL & MOISTURE
RESISTANT



SCRATCH & STAIN
RESISTANT



DUST
RESISTANT

Key Specifications:



Air Delivery
250 m³/min




Sweep Size
1.3 m (1300 mm)



Speed
380 rpm



Bloom Series



Sparkle Black & Maroon

Bloom Lily™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique 4 blade design for high air delivery and thrust



DUAL COLOUR
DESIGNS



OIL & MOISTURE
RESISTANT



SCRATCH & STAIN
RESISTANT



DUST
RESISTANT

Key Specifications:



Air Delivery
250 m³/min



Sweep Size
1.3 m (1300 mm)



Speed
280 rpm

Bloom Series



Sparkle White & Silver

Bloom Dahlia™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique 4 blade design for high air delivery and thrust



Sparkle
Brown & Gold

Sparkle
White & Silver

Sparkle
Black & Maroon



DUAL COLOUR
DESIGNS



OIL & MOISTURE
RESISTANT



SCRATCH & STAIN
RESISTANT



DUST
RESISTANT

Key Specifications:



Air Delivery
250 m³/min



Sweep Size
1.3 m (1300 mm)



Speed
260 rpm



A range of fans that keeps dust at bay.

GOODBYE DUST At Usha, we have always been inspired by nature. Our new range of ceiling fans is inspired by the Lotus, known for its dirt and water repelling qualities. The Lotus stays pristinely clean at all times. Coated with superior polyurethane lacquer, our fans resist accumulation of dirt. They are also hydrophobic (water resistant), oleophobic (oil resistant) and extremely easy to clean.



Unique Features:



Dust Resistant



Oil & Moisture
Resistant



Scratch & Stain
Resistant



USHA

GOODBYE DUST



Dark Grey

Striker Galaxy®

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption



Pearl White



Wooden with Gold Trims



Dark Grey



Mild Grey



Coffee Brown



Bright Gold

Key Specifications:



High Air Delivery
230 m³/min



High Speed
385 rpm



Aerodynamically designed blades



Sweep Size 1.2 m (1200 mm)
Also available in sweep sizes of
60 cm (600 mm); 90 cm (900 mm);
1.05 m (1050 mm) and 1.4 m (1400 mm)



WHISPER-QUIET
OPERATION



DUST AND SCRATCH
RESISTANT



DUAL COLOUR
DESIGNS

100%
COPPER MOTOR
WITH HIGH TORQUE





GOODBYE DUST



Wooden with Gold Trims

Striker Platinum™

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption



Pearl White



Wooden with Gold Trims



Carbon Grey



Lavender Chrome





Brown




Dove Grey

Key Specifications:

 Air Delivery
230 m³/min

 High Speed
385 rpm

 Aerodynamically designed blades

 Sweep Size 1.2 m (1200 mm)
Also available in sweep sizes of
60 cm (600 mm); 90 cm (900 mm);
1.05 m (1050 mm) and 1.4 m (1400 mm)





GOODBYE DUST



Dark Brown



Pearl White



Dark Brown



Small Blue



Friar Grey



Striker Millennium™

- Lacquer metallic paint for better aesthetics
- High air delivery due to unique blade angle
- Double ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for long life
- BEE Star rated ceiling fan for low energy consumption



WHISPER-QUIET OPERATION



DUST AND SCRATCH RESISTANT



DUAL COLOUR DESIGNS



Key Specifications:



Air Delivery
225 m³/min



High Speed
380 rpm



Aerodynamically
Designed Blades



Sweep Size 1.2 m (1200 mm)
Also available in sweep sizes of 60 cm (600 mm); 90 cm (900 mm);
1.05 m (1050 mm) and 1.4 m (1400 mm)



GOODBYE DUST



Charcoal

Super Striker™

- Superior high permeability grade electric steel lamination for longer life
- Beautifully crafted for modern decor
- Wide tip aerodynamic blades for high air delivery & spread
- Double ball bearing for whisper-quiet operation and durability
- BEE Star rated ceiling fan for low energy consumption



Pearl White



Charcoal



Dark Brown



Suva Grey



WHISPER-QUIET OPERATION



DUST AND SCRATCH RESISTANT



DUAL COLOUR DESIGNS



Air Delivery 230 m³/min



High Speed 385 rpm



Aerodynamically Designed Blades



Sweep Size 1.2 m (1200 mm)

USHA[®]



Cocoa Bean

Striker[®] Neo

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption



Pearl White



Grey Brown



Shuttle Gray



Cocoa Bean



WHISPER-QUIET
OPERATION



AERODYNAMICALLY
DESIGNED BLADES



DUAL COLOUR
DESIGNS

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



High Air Delivery
225 m³/min



High Speed
380 rpm



Sweep Size
1.2 m (1200 mm)



Spanish Green

Striker® One

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption



Pearl White



Dark Grey



Chocolate Grey



Spanish Green



WHISPER-QUIET OPERATION



AERODYNAMICALLY DESIGNED BLADES



DUAL COLOUR DESIGNS



Key Specifications:



High Air Delivery
225 m³/min




High Speed
380 rpm



Sweep Size
1.2 m (1200 mm)



YOUR BEST FRIEND FOREVER



It's a world of imagination at display for your child. Bring home the most favourite characters your children are growing up with. Fill their world with the fans that will help bring their dream world come true. .






Barbie You can be Anything™

- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery and spread

Barbie Dreamtopia™

- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery and spread

Key Specifications:



Key Specifications:



USHA

YOUR BEST FRIEND FOREVER



Chhota Bheem Sports™

- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery and spread

Key Specifications:

 Air Delivery 230 m³/min  Sweep Size 1.2 m (1200 mm)  High Speed 380 rpm  2 Years Warranty

GREEN GOLD
INDUSTRIES PVT. LTD.

Manufactured under licence from Greengold Licencing and Merchandizing (I) Pvt. Ltd. All right reserved. www.greengold.tv

ENERGY SAVING FANS

If less noise, class and comfort is your demand, these award winning fans are the answer. These 5-star fans are designed with attractive sweep sizes, designs and technology. Energy conservation award by their side, these fans suit all the parameters of style, performance and energy efficiency.



Rich White

Energia 32™

- High Torque motor and constant speed even at low voltage
- Cool motor with energy efficiency reduces air conditioning bill
- Remote for convenience
- Consumes only 7 W at lowest fan speed
- No humming noise, longer power backup on inverter



Rich White



Key Specifications:

- High Speed 375 rpm
- Air Delivery 220 m³/min
- 2 Years Warranty



Rich Brown

Energia ISI™

- High lift angle of blade for wider air spread
- Low power consumption
- ISI Marked and IS 374 marked
- Glossy powder coated paint for superior finish and longer life
- Energy saving fan with power consumption of about 50 W
- Superior high permeability grade electric steel lamination for improved life



Rich White



Rich Brown



Key Specifications:

- Air Delivery 210 m³/min
- Sweep Size 1.2 m (1200 mm)
Also available in 1.4 m (1400 mm)
- Speed 330 rpm
- 2 Years Warranty



ENERGY SAVING FANS



Rich Brown



Rich White

Technix Plus™

- 3 Star BEE rated decorative fan with low power consumption of 43 W
- High lift angle of blade for wider air spread
- Saves electricity
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life



Brown Gold



Rich White



White Gold



Ivory Gold



Key Specifications:



Striker Plus®

- Specially designed motor with wider blades for optimum air delivery and speed
- V2 grade ball bearing for whisper-quiet operation and durability
- Superior high permeability grade electric steel lamination for improved life
- Superior fan performance from energy saving motor
- Superior grade electric steel lamination for long life
- 1 Star rated fan with 52 W Power consumption



Rich Brown



Rich White



Rich Ivory



Matt Brown



Key Specifications:





ENERGY SAVING FANS



Rich White

TechnoAir®

- BLDC motor technology working with wall regulator
- Fan with cool motor low temperature rise for better durability
- Super-efficient motor requires just 32 W for high air delivery of 220 m³/min
- Fan with extra safety wire for prevention of falling
- Aerodynamic blade design for high air delivery
- Double ball bearing for longer life



Rich
Brown



Rich
White



Key Specifications:



Air Delivery
220 m³/min



Sweep Size
1.2 m (1200 mm)




High Speed
350 rpm



2 Years
Warranty

UNIVERSAL FANS

Good looks, great quality make these fans no-nonsense, do good machines. Optimal speeds, attractive looks and efficient functioning make them the all-time favourites any day.



Smoke Brown



Rich Brown

Racer Chrome®

- High lift angle of blade for wider air spread
- Beautiful chrome rings and trims to complement the best in class performance
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Glossy powder coated paint for superior finish and longer life

Racer®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Glossy powder coated paint for superior finish and longer life



Rich Brown



Rich Ivory



Rich White & Silver



Smoke Brown



Rich Brown



Rich Ivory



Rich Blue



Rich Red



Key Specifications:



Air Delivery
210 m³/min



Sweep Size 1.2 m (1200 mm)
Also available in
60 cm (600 mm) &
90 cm (900 mm) sweep sizes



High Speed
400 rpm



2 Years
Warranty

Key Specifications:



Air Delivery
210 m³/min



Sweep Size 1.2 m (1200 mm)
Also available in
60 cm (600 mm) &
90 cm (900 mm) sweep sizes



High Speed
400 rpm



2 Years
Warranty



Metallic Black

Airostrong Angle®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Metallic paint for superior finish and longer life



Metallic White



Metallic Ivory



Metallic Black



Metallic Luxon Gold Black



Key Specifications:



Air Delivery
220 m³/min



Sweep Size
1.2 m (1200 mm)



High Speed
390 rpm



2 Years
Warranty



Rich White

Striker®

- Superior high permeability grade electric steel lamination for improved life
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery & spread



Rich Brown



Rich Ivory



Matt Brown



Coffee Brown



Key Specifications:



Air Delivery
230 m³/min



Sweep Size 1.2 m (1200 mm)
Also available in sweep sizes of
60 cm (600 mm); 90 cm (900 mm);
1.05 m (1050 mm) & 1.4 m (1400 mm)



High Speed
380 rpm



2 Years
Warranty



Rich Ivory



Matt Brown

Swift Alpha Chrome®

- Superior high permeability grade electric steel lamination for improved life
- Beautiful chrome rings and trims to complement the best in class performance
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage



Rich Ivory



Smoke Brown



Rich White Gold



Smoke Grey



Swift Alpha

- Aerodynamic design
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage



Rich Ivory



Matt Brown



Rich White



Smoke Grey



Vibrant Blue



Key Specifications:

- Air Delivery 210 m³/min
- Sweep Size 1.2 m (1200 mm)
- Speed 350 rpm
- 2 Years Warranty

Key Specifications:

- Air Delivery 210 m³/min
- Sweep Size 1.2 m (1200 mm)
- Speed 350 rpm
- 2 Years Warranty



Rich White



Rich Ivory

Allure™ Deluxe

- Wide tip blades for high air delivery and air spread
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability



Rich Ivory



Rich Brown



Charm Pink



Dew Grey



Rich White



Key Specifications:



Air Delivery
225 m³/min



Sweep Size 1.2 m (1200 mm)
Also available in sweep sizes of
60 cm (600 mm); 90 cm (900 mm)
& 1.4 m (1400 mm)



Speed
340 rpm



2 Years
Warranty

Allure™ Deluxe 4 Blade

- Wide tip blades for high air delivery and air spread
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability



Rich Brown



Rich Ivory



Charm Pink



Dew Grey



Rich White



Key Specifications:



Air Delivery
225 m³/min



Sweep Size
1.2 m (1200 mm)



Speed
330 rpm



2 Years
Warranty



Technical Specifications

Serial No.	Sweep Size	Model Name	Air Delivery	Power Input	Speed
Ceiling Fans					
1	1.2 m (1200 mm)	Heleous	260 m ³ /min	43 W	310 rpm
2	1.2 m (1200 mm)	EX9 Glo	240 m ³ /min	40 W	300 rpm
3	1.2 m (1200 mm)	EX9	240 m ³ /min	85 W	300 rpm
4	1.2 m (1200 mm)	Grandiose	225 m ³ /min	55 W	350 rpm
5	1.32 m (1320 mm)	Aldora	250 m ³ /min	58 W	260 rpm
6	1.25 m (1250 mm)	Fontana Maple	220 m ³ /min	55 W	300 rpm
7	1.27 m (1270 mm)	Fontana One	220 m ³ /min	55 W	300 rpm
8	1.28 m (1280 mm)	Fontana Orchid	220 m ³ /min	55 W	300 rpm
9	1.23 m (1230 mm)	Fontana Lotus	220 m ³ /min	55 W	300 rpm
10	1.2 m (1200 mm)	Upsilon	230 m ³ /min	38 W	310 rpm
11	1.2 m (1200 mm)	Upsilon Plus	230 m ³ /min	38 W	310 rpm
12	1.2 m (1200 mm)	Upsilon Beta	230 m ³ /min	38 W	310 rpm
13	1.2 m (1200 mm)	Lambda	240 m ³ /min	38 W	315 rpm
14	1.2 m (1200 mm)	Lambda Plus	240 m ³ /min	38 W	315 rpm
15	1.2 m (1200 mm)	Lambda Beta	240 m ³ /min	38 W	315 rpm
16	1.2 m (1200 mm)	Phi	240 m ³ /min	38 W	340 rpm
17	1.2 m (1200 mm)	Phi Plus	240 m ³ /min	38 W	340 rpm
18	1.2 m (1200 mm)	Phi Beta	240 m ³ /min	38 W	340 rpm
19	1.2 m (1200 mm)	Rho	235 m ³ /min	35 W	320 rpm
20	1.2 m (1200 mm)	Rho Plus	235 m ³ /min	35 W	320 rpm
21	1.2 m (1200 mm)	Rho Beta	235 m ³ /min	35 W	320 rpm
22	1.2 m (1200 mm)	Pi	240 m ³ /min	40 W	320 rpm
23	1.2 m (1200 mm)	Pi Plus	240 m ³ /min	40 W	320 rpm
24	1.2 m (1200 mm)	Pi Beta	240 m ³ /min	40 W	320 rpm
25	1.2 m (1200 mm)	Kappa	235 m ³ /min	35 W	320 rpm
26	1.2 m (1200 mm)	Kappa Plus	235 m ³ /min	35 W	320 rpm
27	1.2 m (1200 mm)	Kappa Beta	235 m ³ /min	35 W	320 rpm
28	1.25m (1250 mm)	Daffodil	240 m ³ /min	58 W	350 rpm
29	1.25m (1250 mm)	Primrose	225 m ³ /min	56 W	350 rpm
30	1.25m (1250 mm)	Magnolia	225 m ³ /min	56 W	350 rpm
31	1.3 m (1300 mm)	Bellflower	240 m ³ /min	58 W	300 rpm
32	1.3 m (1300 mm)	Lily	240 m ³ /min	58 W	280 rpm
33	1.3 m (1300 mm)	Dahlia	240 m ³ /min	58 W	260 rpm
34	90 cm (900 mm)	Striker Galaxy	150 m ³ /min	45 W	420 rpm
35	1.05 m (1050 mm)	Striker Galaxy	180 m ³ /min	52 W	380 rpm

Technical Specifications

Serial No.	Sweep Size	Model Name	Air Delivery	Power Input	Speed
Ceiling Fans					
36	1.2 m (1200 mm)	Striker Galaxy	230 m ³ /min	56 W	385 rpm
37	1.4 m (1400 mm)	Striker Galaxy	250 m ³ /min	60 W	315 rpm
38	90 cm (900 mm)	Striker Platinum	150 m ³ /min	45 W	420 rpm
39	1.05 m (1050 mm)	Striker Platinum	180 m ³ /min	52 W	380 rpm
40	1.2 m (1200 mm)	Striker Platinum	230 m ³ /min	56 W	385 rpm
41	1.4 m (1400 mm)	Striker Platinum	250 m ³ /min	60 W	315 rpm
42	90 cm (900 mm)	Striker Millenium	150 m ³ /min	45 W	420 rpm
43	1.2 m (1200 mm)	Striker Millenium	225 m ³ /min	55 W	380 rpm
44	1.4 m (1400 mm)	Striker Millenium	250 m ³ /min	60 W	315 rpm
45	1.2 m (1200 mm)	Super Striker	230 m ³ /min	56 W	385 rpm
46	1.2 m (1200 mm)	Barbie Careers	230 m ³ /min	57 W	380 rpm
47	1.2 m (1200 mm)	Barbie Dreamtopia	230 m ³ /min	57 W	380 rpm
48	1.2 m (1200 mm)	Chhota Bheem Sports	230 m ³ /min	57 W	380 rpm
49	1.2 m (1200 mm)	Energia 32	220 m ³ /min	32 W	375 rpm
50	1.2 m (1200 mm)	Energia Isi	210 m ³ /min	50 W	310 rpm
51	1.2 m (1200 mm)	Technix Plus	215 m ³ /min	43 W	330 rpm
52	1.2 m (1200 mm)	Striker Plus	220 m ³ /min	52 W	370 rpm
53	1.2 m (1200 mm)	TechnoAir	220 m ³ /min	32 W	350 rpm
54	1.2 m (1200 mm)	Atom	210 m ³ /min	50 W	330 rpm
55	1.2 m (1200 mm)	Racer Chrome	210 m ³ /min	50 W	400 rpm
56	1.2 m (1200 mm)	Racer	210 m ³ /min	50 W	400 rpm
57	1.2 m (1200 mm)	Airostrong Angle	220 m ³ /min	54 W	390 rpm
58	1.2 m (1200 mm)	Swift	210 m ³ /min	50 W	350 rpm
59	1.2 m (1200 mm)	Swift Alpha Chrome	210 m ³ /min	50 W	350 rpm
60	1.2 m (1200 mm)	Striker One	225 m ³ /min	56 W	380 rpm
61	1.2 m (1200 mm)	Striker Neo	225 m ³ /min	55 W	380 rpm
62	90 cm (900 mm)	Striker	135 m ³ /min	43 W	400 rpm
63	1.05 m (1050 mm)	Striker	180 m ³ /min	49 W	410 rpm
64	1.2 m (1200 mm)	Striker	230 m ³ /min	55 W	380 rpm
65	1.4 m (1400 mm)	Striker	250 m ³ /min	60 W	300 rpm
66	1.2 m (1200 mm)	Allure Deluxe	225 m ³ /min	54 W	340 rpm
67	1.2 m (1200 mm)	Allure Deluxe 4 Blade	225 m ³ /min	55 W	330 rpm
68	1.2 m (1200 mm)	Swift Alpha	210 m ³ /min	50 W	350 rpm

*Colour and technical feature may vary across products.

SMART, SENSIBLE AND FLEXIBLE.

MANY FORMS OF COMFORT



PEDESTAL FANS • TABLE FANS • WALL FANS • EXHAUST FANS • SPECIAL APPLICATION FANS
RANGE 2024 Edition

Presenting a wide range of companions for comfort. Fans designed to give soothing air to your liking. A series of Pedestal, Table, Wall and Exhaust fans that allow air to sway to your fancies. Be it indoor or outdoor, go ahead and enjoy the joy of comfortable air.

T

P

W

E

RANGE

PEDESTAL FANS


The all season favourite, be it the verandah, house garden or inside your home, these fans are well equipped to convert hot and humid environment to cool and refreshing space. Not just that, they also complement your air conditioners perfectly.





Cyclotron®

With a Unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.



Speed
1200 rpm



Air Delivery
67 m³/min





Sweep Size
40 cm (400 mm)



Air Throw
9m



2 Years
Warranty

Available in:  White  Black



Helix® XT Hi-Speed

Ensuring high speed performance like this fan comes with an elegant body design and aerodynamic ABS blades to deliver higher air flow.



Speed
2200 rpm



Air Delivery
100 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty

Available in:  White

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



Maxx Air Ultra

Fan with aerodynamically balanced blades for better performance. Auto resettable thermal over load protector for durability. Jerk free movement with uniform oscillation.



Speed
1350 rpm



Air Delivery
70 m³/min



Sweep Size
40 cm (400mm)



2 Years
Warranty

Available in: White Light Blue Maroon Golden



Striker[®] Hi-Speed

Strike it big with this high performance fan. This high speed and high air delivery fan is specially designed to suit Indian weather conditions.



Speed
2200 rpm



Air Delivery
100 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty


Available in: White


Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery





Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and High air delivery.

 Speed
1320 rpm

 Air Delivery
92 m³/min

 Sweep Size
40 cm (400 mm)

 2 Years
Warranty

Available in:  Blue  Red  Golden



Pentacool[®]


Introducing Pentacool 5 blade fans with quiet performance, smooth air flow and high air delivery, experience the magic of 5 blades.

 Speed
1350 rpm

 Air Delivery
85 m³/min

 Sweep Size
40 cm (400 mm)

 2 Years
Warranty

Available in:  Black & Grey  White & Blue

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery




Mist Air Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

 Speed
1350 rpm

 Air Delivery
70 m³/min

 Sweep Size
40 cm (400 mm)

 2 Years
Warranty

Available in:  Dark Blue  Light Blue  Maroon




Mist Air[®] Icy with Remote


The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer and 5 blade high speed function for icy cool comfort.

 Speed
1280 rpm

 Air Delivery
67 m³/min

 Sweep Size
40 cm (400 mm)

 2 Years
Warranty

Available in:  White

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



MaxxAir®

Experience icy cool comfort and assured safety in this elegant dual color fan with a resettable fuse and easy filling mechanism.



Speed
1350 rpm









Air Delivery
70 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty

Available in:  White  Blue  Orange  Blue Black  Red  Purple

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



Farrata®

Usha Farrata with its powerful 508 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.



Speed
1400 rpm



Air Delivery
90 m³/min



Sweep Size
50 cm (500 mm)



2 Years
Warranty

Available in:  Grey




Farrata® EX


Farrata Ex comes with a heavy duty rugged motor and 500 mm metal blades to create powerful air flow in a wide area.



Speed
1400 rpm




Air Delivery
100 m³/min



Sweep Size
50 cm (500 mm)



2 Years
Warranty


Available in:  Grey

Common Features: ▶ 100% Copper motor for longer performance ▶ High air delivery large sweep metal blades ▶ Aerodynamic blade design for high air delivery





Farrata® VX


Usha Farrata VX with its powerful 508 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.

 Speed
1350rpm

 Air Delivery
100 m³/min

 Sweep Size
50 cm (500 mm)

 2
2 Years
Warranty

Available in:  Grey



Jet Dlx Oscillating®

457.2 mm metal blades, a powerful sturdy motor and wide oscillation. That's what makes Jet Dlx the perfect fan for high air flow.

 Speed
1400rpm

 Air Delivery
90 m³/min

 Sweep Size
45 cm (450 mm)

 1
1 Year
Warranty

Available in:  Steel Grey

Common Features: ▶ 100% Copper motor for longer performance ▶ High air delivery large sweep metal blades ▶ Aerodynamic blade design for high air delivery

TABLE FANS

Bring home the perfect company for your balcony, study or your kitchen. Compact and easy to carry, these table fans are the best bet anytime, anywhere. With a wide variety of sweeps, speeds and designs, go ahead and personalise air to your convenience.






Striker® Hi-Speed


Strike it big with this high performance fan. The high speed and high air delivery fan is specially designed to suit Indian weather conditions.

 Speed
2100 rpm

 2 Years
Warranty

 Air Delivery 98 m³/min

 Sweep Size
40 cm (400mm)

Available in:  White



Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience

 Speed
1350 rpm

 2 Years
Warranty

 Air Delivery
70 m³/min

 Sweep Size
40 cm (400mm)

Available in:  Dark Blue  Light Blue  Maroon

Common Features: ▶ 100% Copper motor for longer performance ▶ High air delivery large sweep metal blades ▶ Aerodynamic blade design for high air delivery



MaxxAir®

Experience maximum comfort and assured safety in this elegant dual color fan with aerodynamic polypropylene blades for better air delivery and an easy tilting mechanism.



Speed
1350 rpm



Air Delivery
70 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty

Available in:  White  Blue  Orange  Blue Black  Red  Purple



Maxx Air Ultra

Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.



Speed
1350 rpm




Air Delivery
70 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty

Available in:  White  Light Blue  Maroon  Golden

Common Features: ▶ 100% Copper motor for longer performance ▶ Corrosion protection with Plastic blades ▶ 3 Speed settings ▶ Aerodynamic blade design for high air delivery

WALL FANS

These light weight, sleek Usha wall fans are the power house of features. These style icons spread happiness to every corner of the room efficiently without any fuss.





Cyclotron®

With a unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.



Speed
1200 rpm



Air Delivery
67 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty

Available in: White Black



Helix®XT

Packed with elegance, speed and air delivery, Helix Mega is a perfect choice for your needs. Rust proof performance with ABS blades and easy tilting mechanism. Also available in 300 mm sweep size.



Speed
2200 rpm



Air Delivery
100 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty

Available in: White Blue

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



Striker® Hi-Speed

Striker is now back with high speed and high air delivery. This fan is specially designed to suit Indian weather conditions. Easy operations with pull cord for speed and oscillation regulation.



Speed
2100 rpm




Air Delivery
100 m³/min



Sweep Size 30 cm (300 mm)
Also Available In
40 cm (400 mm) sweep size.



2 Years
Warranty

Available in:  White

Common Features: ▶ 100% copper motor for longer performance ▶ Easy to operate ▶ Aerodynamic blade design for high air delivery



Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and high air delivery



Speed
1320rpm



Air Delivery
92 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty

Available in:  Blue  Red  Golden



Pentacool

Introducing Pentacool 5 blade fans with quiet performance, smooth air flow and high air delivery, experience the magic of 5 blades



Speed
1350 rpm





Air Delivery
85 m³/min



Sweep Size
40 cm (400 mm)



2 Years
Warranty


Available in:  Black & Grey  White & Blue

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery




Mist Air® Icy With Remote


The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer function for icy cool comfort.

 Speed
1280 rpm

 Air Delivery
67 m³/min

 Sweep Size
40 cm (400 mm)

 2
2 Years
Warranty

Available in:  White



Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

 Speed
1350 rpm

 Air Delivery
70 m³/min

 Sweep Size
40 cm (400 mm)

 2
2 Years
Warranty

Available in:  Dark Blue  Light Blue  Maroon

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery



Maxx Air Ultra

Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.



Available in: White Light Blue Maroon Golden



MaxxAir[®]

Experience maximum comfort and assured safety in this elegant fan with a resettable fuse and easy tilting mechanism.



Available in: White Blue Orange Red Blue and Black Purple

Common Features: ▶ 100% copper motor for longer performance ▶ Anti-Rust protection with plastic blades ▶ Aerodynamic blade design for high air delivery

EXHAUST FANS

Usha's range of exhaust fans control the quality of the air in an enclosed space by getting rid of smoke, moisture, fumes and odour.

Their automatic front/back shutter and rust proof body also ensure a healthy and happy environment overall.





Crisp Air Premia® CV

Suitable for false ceilings, this trendy, automatic back shutter exhaust fan is designed to complement a modern home. Available in 260 X 260 frame size.

			
Sweep Size	Air Delivery	rpm	Warranty
12 cm (120mm)	100 m ³ /h	1050 rpm	2 years



Crisp Air Premia® AS Plus

Low noise, high rpm exhaust fan with strong air suction. This automatic front shutter exhaust is ideal for window and wall mounted indoor installations.

			
Sweep Size	Air Delivery	rpm	Warranty
15 cm (150mm)	220 m ³ /h	1800 rpm	2 years

Common Features: ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance



Crisp Air Premia® BV

Suitable for your bathroom or kitchen, this stylish exhaust fan comes with an automatic front shutter with low noise feature. Ideal for glass window mounting.

			
Sweep Size	Air Delivery	rpm	Warranty
10 cm (100mm)	70 m ³ /h	2250 rpm	2 years
15 cm (150mm)	210 m ³ /h	1350 rpm	2 years



Crisp Air™ VX

With special blade design for higher suction this lightweight exhaust fan is low on noise and high on fresh air delivery. This fan is suitable for any domestic usage.

			
Sweep Size	Air Delivery	rpm	Warranty
15 cm (150 mm)	230 m ³ /h	1400 rpm	2 years
20 cm (200 mm)	530 m ³ /h	1400 rpm	2 years
25 cm (250 mm)	750 m ³ /h	1350 rpm	2 years

Available in:  White  Black

Common Features: ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance



Crisp Air™ AX

Refresh the air around you with this stylish plastic exhaust which comes in attractive colors and a back shutter. This fan is suitable for any domestic usage.

			
Sweep Size	Air Delivery	rpm	Warranty
10 cm (100 mm)	140 m ³ /h	2400 rpm	2 years
15 cm (150 mm)	250 m ³ /h	2280 rpm	2 years

Available in:  White  Ivory



Crisp Air Premia® AF

Designed to get noticed, this exhaust fan comes with hidden blades and easy screwless installation for low noise performance. Ideal for mounting on a wall, ceiling or glass.

			
Sweep Size	Air Delivery	rpm	Warranty
15 cm (150 mm)	350 m ³ /h	1800 rpm	2 years

Available in:  White  Ivory  Stainless Steel

Common Features: ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance



Striker® Hi-Speed

Redefining the future of high performance, USHA Striker Exhaust Fan operates at an ultra high speed to give you a fresh experience 70% faster. Moreover, its 100% Copper motor with ball bearings, making sure the operation is as quiet as possible.





			
Sweep Size	Air Delivery	rpm	Warranty
15 cm (150 mm)	450 m ³ /h	2350 rpm	2 years

Available in:  White  Brown  Black



Turbo® Heavy Duty

This ISI: 2312 Marked heavy duty motor metal exhaust fan is specially designed for industrial use. Available in multiple sizes, speeds and in single phase and 3 phase motors.

			
Sweep Size	Air Delivery	rpm	Warranty
30 cm (300 mm)	1145/1710 m ³ /h	900/1400 rpm	2 years
38 cm (380 mm)	2000/3200 m ³ /h	900/1400 rpm	2 years
45 cm (450 mm)	3900/6120 m ³ /h	900/1400 rpm	2 years
60 cm (600 mm)	7100/9400 m ³ /h	700/900 rpm	2 years

Common Features: ▶ 100% Copper motor for longer performance ▶ Anti corrosive treatment and attractive metal finish ▶ Heavy duty motor for sturdy performance & rugged use



Aeroclean®

Aeroclean Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy.

			
Sweep Size	Air Delivery	rpm	Warranty
23 cm (230 mm)	700 m ³ /h	1350 rpm	2 years
30 cm (300 mm)	1050 m ³ /h	1350 rpm	2 years



Aeroclean® Plus

Aeroclean Plus Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy. Packed with heavy duty motor with double ball bearing for longer performance and durability.

			
Sweep Size	Air Delivery	rpm	Warranty
23 cm (230 mm)	750 m ³ /h	1400 rpm	2 years
30 cm (300 mm)	1600 m ³ /h	1370 rpm	2 years

Common Features: ▶ 100% Copper motor for longer performance ▶ Corrosion protection with rust proof body and blades ▶ Lightweight and low noise performance



Aeroclean® Pro

Aeroclean Pro high speed exhaust fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of Oil and dust on the blades. They will make your kitchen easy to clean and healthy. High speed exhaust fans for excellent performance.

 Sweep Size	 Air Delivery	 rpm	 Warranty
15 cm (150 mm)	350 m ³ /h	2400 rpm	2 years
23 cm (230 mm)	1000 m ³ /h	2500 rpm	2 years

Common Features: ▶ 100% Copper motor for longer performance ▶ Special Goodbye Oil and Dust lacquer coating ▶ Heavy duty motor for sturdy performance & rugged use

SPECIAL FANS

Charm your guests with this one-of-a-kind special application range of fans. They will surprise you with their unique and exclusive features like superior air circulation, sleek design and efficient air delivery.





Mist Air®Prime

Personalize your comfort with Usha's tower fan. Its 2 hours manual timer, tubular blower and wide oscillation make air flow efficient and effective.

			
Sweep Size	Air Delivery	rpm	Warranty
NA	20 m ³ /min	1300 rpm	1 year



Mist Air®Icy Rotocab

A ceiling mounted fan with a 360 degree oscillation providing wide air coverage and aerodynamically designed blades for better air delivery. This personal fan comes with the convenience of easy assembly.

			
Sweep Size	Air Delivery	rpm	Warranty
40 cm (400 mm)	65 m ³ /h	1260 rpm	2 years

Common Features: ▶ Wide air coverage ▶ Aerodynamically designed blades ▶ Thermal overload protection



Dynamo®

A high speed personal fan which can be installed on the wall, table or ceiling. Personalize your comfort with multi-tilting mechanism and easy portability.

			
Sweep Size	Air Delivery	rpm	Warranty
23 cm (230 mm)	1100 m ³ /h	2650 rpm	1 year



Dominaire® Wall

Designed for heavy industrial use, this air circulator has been built aerodynamically with precision built oscillating mechanism and conforms to ISI standards.

			
Sweep Size	Air Delivery	rpm	Warranty
45 cm (450 mm)	150 m ³ /min	1440 rpm	1 year
60 cm (600 mm)	270 m ³ /min	1440 rpm	1 year
75 cm (750 mm)	400 m ³ /min	1440 rpm	1 year





Performance conforms to IS: 2997-1964 standards

Common Features: ▶ Multi-utility fans ▶ Compact and attractive modern design ▶ High RPM



Dominaire® Pedestal

Heavy duty performance guaranteed in this pedestal fan with a cast iron base for greater stability and aluminium alloy blades for high air delivery. ISI marked.

 Sweep Size	 Air Delivery	 rpm	 Warranty
45 cm (450 mm)	150 m ³ /min	1440 rpm	1 year
60 cm (600 mm)	270 m ³ /min	1440 rpm	1 year
75 cm (750 mm)	400 m ³ /min	1440 rpm	1 year

Performance conforms to IS: 2997-1964 standards

Common Features: ▶ Aluminium alloy blades for high air delivery ▶ Corrosion protection with powder coated paint ▶ Available in multiple sizes

Technical Specifications

Serial No.	Sweep Size	Model Name	Air Delivery	Power Input	Speed
Pedestal Fans					
69	40 cm (400 mm)	Cyclotron	67 m ³ /min	55 W	1200 rpm
70	40 cm (400 mm)	Helix XT	100 m ³ /min	120 W	2300 rpm
71	40 cm (400 mm)	Maxx Air Ultra	70 m ³ /min	55 W	1350 rpm
72	40 cm (400 mm)	Striker Hi-Speed	100 m ³ /min	135 W	2200 rpm
73	40 cm (400 mm)	Colossus	92 m ³ /min	70 W	1320 rpm
74	40 cm (400 mm)	Pentacool	85 m ³ /min	70 W	1350 rpm
75	40 cm (400 mm)	Mist Air Flo	70 m ³ /min	55 W	1350 rpm
76	40 cm (400 mm)	Mist Air Icy with Remote	67 m ³ /min	55 W	1280 rpm
77	40 cm (400 mm)	MaxxAir	67 m ³ /min	55 W	1350 rpm
78	50 cm (500 mm)	Farrata VX	100 m ³ /min	150 W	1350 rpm
79	50 cm (500 mm)	Farrata	90 m ³ /min	160 W	1400 rpm
80	50 cm (500 mm)	Farrata EX	100 m ³ /min	160 W	1400 rpm
81	45 cm (450 mm)	Jet DLX Oscillating	90 m ³ /min	120 W	1400 rpm
82	45 cm (450 mm)	Cheetah DLX	90 m ³ /min	130 W	2600 rpm

Serial No.	Sweep Size	Model Name	Air Delivery	Power Input	Speed
Table Fans					
83	40 cm (400 mm)	Striker Hi-Speed	98 m ³ /min	120 W	2100 rpm
84	40 cm (400 mm)	Mist Air Flo	70 m ³ /min	55 W	1350 rpm
85	40 cm (400 mm)	MaxxAir	70 m ³ /min	55 W	1350 rpm
86	40 cm (400 mm)	Maxx Air Ultra	70 m ³ /min	55 W	1350 rpm


Serial No.	Sweep Size	Model Name	Air Delivery	Power Input	Speed
Wall Fans					
87	40 cm (400 mm)	Cyclotron	67 m ³ /min	55 W	1200 rpm
88	40 cm (400 mm)	Helix XT	100 m ³ /min	120 W	2300 rpm
89	40 cm (400 mm)	Striker Hi-Speed	98 m ³ /min	120 W	2100 rpm
90	30 cm (300 mm)	Striker Hi-Speed	75 m ³ /min	100 W	2100 rpm
91	40 cm (400 mm)	Colossus	92 m ³ /min	70 W	1320 rpm
92	40 cm (400 mm)	Pentacool	85 m ³ /min	70 W	1350 rpm
93	40 cm (400 mm)	Mist air icy with remote	67 m ³ /min	55 W	1280 rpm
94	40 cm (400 mm)	Mist Air Flo	70 m ³ /min	55 W	1350 rpm
95	40 cm (400 mm)	MaxxAir	70 m ³ /min	55 W	1350 rpm
96	40 cm (400 mm)	Maxx Air Ultra	70 m ³ /min	55 W	1350 rpm

Technical Specifications

Serial No.	Sweep Size	Model Name	Air Delivery	Power Input	Speed
Exhaust Fans					
97	12 cm (120 mm)	Crisp Air Premia CV	100 m ³ /h	19 W	1050 rpm
98	15 cm (150 mm)	Crisp Air Premia AS Plus	220 m ³ /h	24 W	1800 rpm
99	10 cm (100 mm)	Crisp Air Premia BV	70 m ³ /h	12 W	2250 rpm
100	15 cm (150 mm)	Crisp Air Premia BV	210 m ³ /h	21 W	1350 rpm
101	15 cm (150 mm)	Crisp Air VX	230 m ³ /h	30 W	1400 rpm
102	20 cm (200 mm)	Crisp Air VX	530 m ³ /h	35 W	1400 rpm
103	25 cm (250 mm)	Crisp Air VX	750 m ³ /h	40 W	1350 rpm
104	10 cm (100 mm)	Crisp Air AX	140 m ³ /h	30 W	2400 rpm
105	15 cm (150 mm)	Crisp Air AX	250 m ³ /h	40 W	2280 rpm
106	15 cm (150 mm)	Crisp Air Premia AF	250 m ³ /h	24 W	2100 rpm
107	15 cm (150 mm)	Striker High Speed	450 m ³ /h	44 W	2350 rpm
108	20 cm (200 mm)	Striker High Speed	800 m ³ /h	60 W	2100 rpm
109	15 cm (150 mm)	Aeroclean Pro	350 m ³ /h	42 W	2400 rpm
110	23 cm (230 mm)	Aeroclean Pro	1000 m ³ /h	65 W	2500 rpm
111	23 cm (230 mm)	Aeroclean Plus	750 m ³ /h	45 W	1400 rpm
112	30 cm (300 mm)	Aeroclean Plus	1600 m ³ /h	72 W	1370 rpm
113	23 cm (230 mm)	Aeroclean	700 m ³ /h	42 W	1350 rpm
114	30 cm (300 mm)	Aeroclean	1050 m ³ /h	55 W	1350 rpm
115	30 cm (300 mm)	Turbo Heavy Duty	1145 m ³ /h	55 W	900 rpm
116	30 cm (300 mm)	Turbo Heavy Duty	1710 m ³ /h	90 W	1400 rpm
117	38 cm (380 mm)	Turbo Heavy Duty	2000 m ³ /h	100 W	900 rpm
118	38 cm (380 mm)	Turbo Heavy Duty	3200 m ³ /h	160 W	1400 rpm
119	45 cm (450 mm)	Turbo Heavy Duty	3900 m ³ /h	145 W	900 rpm
120	45 cm (450 mm)	Turbo Heavy Duty	6120 m ³ /h	410 W	1400 rpm
121	60 cm (600 mm)	Turbo Heavy Duty	7100 m ³ /h	-	700 rpm
122	60 cm (600 mm)	Turbo Heavy Duty	9400 m ³ /h	550 W	900 rpm

Serial No.	Sweep Size	Model Name	Air Delivery	Power Input	Speed
Special Fans					
123	N/A	Mist Air Prime	20 m ³ /min	35 W	1300 rpm
124	40 cm (400 mm)	Mist Air Icy Rotocab	65 m ³ /min	50 W	1260 rpm
125	23 cm (230 mm)	Dynamo	1100 CMH	58 W	2650 rpm
126	45 cm (450 mm)	Dominaire Wall	150 m ³ /min	100 W	1440 rpm
127	60 cm (600 mm)	Dominaire Wall	270 m ³ /min	180 W	1440 rpm
128	75 cm (750 mm)	Dominaire Wall	400 m ³ /min	250 W	1440 rpm
129	45 cm (450 mm)	Dominaire Pedestal	150 m ³ /min	100 W	1440 rpm
130	60 cm (600 mm)	Dominaire Pedestal	270 m ³ /min	180 W	1440 rpm
131	75 cm (750 mm)	Dominaire Pedestal	400 m ³ /min	250 W	1440 rpm

*Colour and technical feature may vary across products.



ushafans.com

 facebook.com/FansbyUsha/

 twitter.com/UshaIntl

 instagram.com/usha_international/



USHA care[®]
1800-1033-111
Toll Free

Terms and conditions:
Colours and graphics shown are for representation purpose only, actual product colours may vary. Conditions apply. Due to innovation/Technical improvements, the specifications are subject to change without prior notice.